



**धातुकर्म एवं सामग्री अभियांत्रिकी विभाग**  
**DEPARTMENT OF METALLURGICAL AND MATERIALS ENGINEERING**  
**भारतीय प्रौद्योगिकी संस्थान मद्रास**  
**INDIAN INSTITUTE OF TECHNOLOGY MADRAS**  
**चेन्नै / Chennai - 600 036**

दूरभाष/Phone: +91-44-2257 4750  
ई-मेल/E Mail: mmoffice@iitm.ac.in

फैक्स/Fax: 044-2257 4752  
वेब/Web: www.iitm.ac.in

**MS / PhD / Direct - PhD Admissions - 2025 July Cycle**

**List of candidates Shortlisted for the Written Test and/or Interview (HTRA & NHTRA):-**

|    |             |    |             |    |             |
|----|-------------|----|-------------|----|-------------|
| 1  | MM2501P0062 | 21 | MM2503M0294 | 41 | MM2503P0968 |
| 2  | MM2501P0066 | 22 | MM2503M0311 | 42 | MM2503P0988 |
| 3  | MM2502D0006 | 23 | MM2503M0322 | 43 | MM2503P1088 |
| 4  | MM2502P0035 | 24 | MM2503M0580 | 44 | MM2503P1157 |
| 5  | MM2502P0067 | 25 | MM2503M0936 | 45 | MM2503P1207 |
| 6  | MM2502P0071 | 26 | MM2503M0990 | 46 | MM2503P1213 |
| 7  | MM2502P0137 | 27 | MM2503P0026 | 47 | MM2503P1337 |
| 8  | MM2502P0158 | 28 | MM2503P0082 | 48 | MM2503P1344 |
| 9  | MM2502P0163 | 29 | MM2503P0208 | 49 | MM2503P1391 |
| 10 | MM2502P0174 | 30 | MM2503P0211 | 50 | MM2503P1424 |
| 11 | MM2502P0195 | 31 | MM2503P0251 | 51 | MM2503P1434 |
| 12 | MM2502P0203 | 32 | MM2503P0289 | 52 | MM2503P1657 |
| 13 | MM2502P0215 | 33 | MM2503P0406 | 53 | MM2504D0055 |
| 14 | MM2503D0025 | 34 | MM2503P0442 | 54 | MM2504D0064 |
| 15 | MM2503D0055 | 35 | MM2503P0519 | 55 | MM2504D0091 |
| 16 | MM2503D0068 | 36 | MM2503P0534 | 56 | MM2504D0118 |
| 17 | MM2503M0004 | 37 | MM2503P0722 | 57 | MM2504D0122 |
| 18 | MM2503M0098 | 38 | MM2503P0818 | 58 | MM2504D0129 |
| 19 | MM2503M0177 | 39 | MM2503P0837 | 59 | MM2504D0148 |
| 20 | MM2503M0205 | 40 | MM2503P0966 | 60 | MM2504M0051 |

|           |                    |           |                    |           |                    |
|-----------|--------------------|-----------|--------------------|-----------|--------------------|
| <b>61</b> | <b>MM2504M0593</b> | <b>74</b> | <b>MM2504P0142</b> | <b>87</b> | <b>MM2504P1153</b> |
| <b>62</b> | <b>MM2504M0601</b> | <b>75</b> | <b>MM2504P0196</b> | <b>88</b> | <b>MM2504P1192</b> |
| <b>63</b> | <b>MM2504M0794</b> | <b>76</b> | <b>MM2504P0338</b> | <b>89</b> | <b>MM2504P1214</b> |
| <b>64</b> | <b>MM2504M0866</b> | <b>77</b> | <b>MM2504P0355</b> | <b>90</b> | <b>MM2504P1219</b> |
| <b>65</b> | <b>MM2504M0946</b> | <b>78</b> | <b>MM2504P0422</b> | <b>91</b> | <b>MM2504P1238</b> |
| <b>66</b> | <b>MM2504M0950</b> | <b>79</b> | <b>MM2504P0475</b> | <b>92</b> | <b>MM2504P1621</b> |
| <b>67</b> | <b>MM2504M0994</b> | <b>80</b> | <b>MM2504P0533</b> | <b>93</b> | <b>MM2504P1644</b> |
| <b>68</b> | <b>MM2504M1265</b> | <b>81</b> | <b>MM2504P0656</b> | <b>94</b> | <b>MM2504P1691</b> |
| <b>69</b> | <b>MM2504M1275</b> | <b>82</b> | <b>MM2504P0695</b> | <b>95</b> | <b>MM2504P1705</b> |
| <b>70</b> | <b>MM2504P0001</b> | <b>83</b> | <b>MM2504P0804</b> | <b>96</b> | <b>MM2504P1760</b> |
| <b>71</b> | <b>MM2504P0041</b> | <b>84</b> | <b>MM2504P0916</b> | <b>97</b> | <b>MM2504P1836</b> |
| <b>72</b> | <b>MM2504P0043</b> | <b>85</b> | <b>MM2504P1005</b> | <b>98</b> | <b>MM2504P1871</b> |
| <b>73</b> | <b>MM2504P0065</b> | <b>86</b> | <b>MM2504P1094</b> | <b>99</b> | <b>MM2503P0933</b> |

Sd/  
Head of the Department